

SPRINGFIELD STORM DRAINAGE CRITERIA MANUAL

TABLE OF CONTENTS

CHAPTER 1. STORM WATER DRAINAGE PRINCIPLES

CONTENTS

	Section Page DP-
1.0 OVERVIEW.....	1
2.0 PRINCIPLES.....	1
2.1 Watershed Approach.....	1
2.2 Conveyance and Storage	2
2.3 Onsite Controls	4
3.0 DATA COLLECTION.....	5
3.1 Rainfall	5
3.1.1 Purpose.....	5
3.1.2 Data Collection Methods.....	5
3.1.3 Classification of Rainfall.....	5
3.2 Storm Runoff and Flood Data	6
3.2.1 Purpose.....	6
3.2.2 Data Collection Methods.....	6
3.2.3 Classification of Rainfall.....	6
3.3 Geographical Data	6
3.4 Storm Water System Inventory Data.....	7
3.5 Geographic Information System	7
4.0 PLANNING	7
4.1 Watershed Assessments and Watershed Plans.....	7
4.1.1 Watershed Assessments.....	7
4.1.2 Watershed Plans.....	7
4.2 Project Priority List.....	8
4.3 Project Development, Construction, and Maintenance	8
5.0 MANAGEMENT OF FLOOD HAZARD AREAS.....	8
5.1 National Flood Insurance Program	8
5.1.1 General.....	8
5.1.2 NFIP Minimum Requirements and Additional Requirements for Flood Hazard Areas	9
5.2 City Flood Hazard Areas	9
5.3 Floodplain Acquisition	10
6.0 REFERENCES.....	11

CHAPTER 2. AUTHORITY AND LAW

CONTENTS

	Section Page LAW-
1.0 OVERVIEW.....	1
2.0 FEDERAL LAW	1
2.1 Floodplain Management.....	1
2.1.1 National Flood Insurance Act, 1968.....	1
2.2 Water Quality	1
2.2.1 Clean Water Act, 1972.....	1
2.2.2 Water Quality Act, 1987	2
2.2.3 Springfield FEMA Phase I Storm Water Permit.....	2
2.2.4 U.S. Army Corps of Engineers Section 404 Permits	2
3.0 MISSOURI SURFACE WATER LAW.....	3
3.1 Clean Water Law	3
3.1.1 State Authority.....	3
3.1.2 Water Quality Standards	3
3.1.3 Section 303(d) List of Impaired Waters	4
3.1.4 Total Maximum Daily Load (TMDL).....	4
3.1.5 Section 401 Water Quality Certification	4
3.2 Common Law.....	4
3.2.1 Overview	4
3.2.2 Civil Law Rule	5
3.2.3 Common Enemy Rule	5
3.2.4 Modified Common Enemy Rule	5
3.2.5 Rule of Reasonable Use	5
3.2.6 Classification of Flow	6
3.2.7 Dam Safety	6
3.2.8 Professional Responsibility	6
4.0 SPRINGFIELD CITY CODE, ORDINANCES, AND POLICIES.....	6
4.1 Storm Water Quantity Control	7
4.1.1 Obstruction of Watercourses	7
4.1.2 Land Development Adjacent to and Draining to Sinkholes	7
4.1.3 Storm Water Detention	7
4.1.4 Acceptable Methods of Discharge	8
4.1.5 Requirements for Subdivisions	8
4.1.6 Requirements for Building Plans.....	9
4.2 Storm Water Quality Control.....	9
4.2.1 Discharge of Pollutants	9
4.2.2 Water Quality Protection	9
4.2.3 Regulation of Land Disturbance Activity	9
4.3 Regulatory Floodplain	10
4.3.1 FEMA Floodplain Regulation	10
4.3.2 Local Flood Area Regulation.....	10
5.0 REFERENCES.....	11

CHAPTER 3. STORM WATER PLANNING

CONTENTS

	Section Page PL-
1.0 OVERVIEW.....	1
2.0 DRAINAGE PLANNING PRINCIPLES.....	2
2.1 Watershed Plans	2
2.2 Major Drainageways	3
2.2.1 Open Channels	4
2.2.2 Stream Setbacks.....	5
2.2.3 Floodplain Regulation	6
2.3 Street and Site Drainage	6
2.3.1 Street Inlets and Pipes.....	7
2.3.2 Site Drainage	7
2.3.3 Site Detention.....	7
2.3.4 Onsite Best Management Practices.....	9
2.4 Transportation.....	9
2.5 Open Space	9
2.6 Required Permits	10
3.0 DEVELOPMENT REVIEW PROCESS.....	12
3.1 Subdivisions.....	12
3.2 Building Site Plans.....	13
3.3 Zoning Changes	14
3.4 Planned Developments	14
3.5 Vacations	14
4.0 REFERENCES.....	15

FIGURE

Figure PL-1 Examples of Good and Bad Grading and Lot Layout	13
---	----

CHAPTER 4. PLAN SUBMITTAL

CHAPTER 5. CALCULATION OF RUNOFF

CONTENTS

	Section Page RO-
1.0 OVERVIEW	1
2.0 PRECIPITATION	1
2.1 Intensity-Duration-Frequency for the Rational Method	2
2.2 Huff Temporal Rainfall Distribution	3
2.3 Rainfall Duration	4
3.0 RATIONAL METHOD	5
3.1 Rational Formula.....	5
3.2 Assumptions	6
3.3 Time of Concentration.....	6
3.3.1 Overland Flow Time	7
3.3.2 Travel Time	8
3.3.3 Common Error in Calculating Time of Concentration	8
3.4 Runoff Coefficient.....	8
4.0 HYDROGRAPH METHODS	10
4.1 SCS Curve Number Loss Model.....	11
4.1.1 SCS Curve Number Runoff Equations	11
4.1.2 Runoff Curve Number Determination	12
4.1.3 Cover Types.....	15
4.1.4 Hydrologic Condition.....	15
4.1.5 Antecedent Moisture Conditions	15
4.2 Kinematic Wave Hydrograph Method	15
4.2.1 Fundamental Equations	15
4.2.2 Kinematic Wave Model Parameters	16
4.3 SCS Unit Hydrograph Method	18
4.3.1 Time of Concentration.....	19
4.3.2 Unit Hydrograph.....	19
4.3.3 Storm Runoff Hydrograph	20
4.4 Channel Routing of Hydrographs	20
4.4.1 Kinematic Wave Channel Routing Method	20
4.5 Reservoir Routing of Hydrographs	21
5.0 ALTERNATIVE METHODS	21
5.1 USGS Regression Equations.....	21
6.0 OFFSITE AND ADJACENT RUNOFF	22
7.0 EXAMPLES	23
7.1 Rational Method	23
7.2 Rational Method: Peak Flow from Portion of a Drainage Area	24
7.3 SCS Unit Hydrograph Method	26
7.4 Kinematic Wave Method	30
8.0 REFERENCES.....	33

TABLES

Table RO-1	Rainfall Depth-Duration-Frequency Relationships from Rainfall Frequency Atlas of the Midwest (Huff and Angel 1992).....	2
Table RO-2	Rainfall Intensity-Duration-Frequency Relationships from Rainfall Frequency Atlas of the Midwest (Huff and Angel 1992).....	3
Table RO-3	Huff Distribution for Drainage Areas from 0 to 10 Square Miles.....	4
Table RO-4	Guidelines for Minimum Storm Duration Based on Watershed Size	5
Table RO-5	Values of Nk for the Kerby-Hathaway Equation	7
Table RO-6	Runoff Coefficients Based on Surface Type for Rational Equation	9
Table RO-7	Frequency Factors for the Runoff Coefficient (Debo and Reese 2002)	10
Table RO-8	Runoff Curve Number (CN) Values for Undeveloped Lands (USDA NRCS 1986)	12
Table RO-9	Runoff Curve Number (CN) Values for Fully Developed and Developing Urban Areas (USDA NRCS 1986)	13
Table RO-10	Hydrologic Soil Group (HSG) for Soils in Springfield.....	14
Table RO-11	Required Input for Kinematic Wave Model	17
Table RO-12	Roughness Coefficients for Kinematic Wave Method.....	18
Table RO-13	Kinematic Wave Channel Routing Method Inputs	21
Table RO-14	USGS Regression Equations for Estimation of Peak Flow in Urban Areas (Knowles and Mason 2000).....	22
Table RO-15	Example Unit Hydrograph Tabulation	27
Table RO-16	Example Precipitation Distribution	28
Table RO-17	Example Excess Precipitation Tabulation	29
Table RO-18	Example Runoff Hydrograph Tabulation.....	30

FIGURES

Figure RO-1	Kinematic Wave Representation of Simple Watershed	16
Figure RO-2	SCS Dimensionless Unit Hydrograph	19
Figure RO-3	Example Watershed for Rational Method	25
Figure RO-4	Example Watershed for Kinematic Wave Method	31

CHAPTER 6. STREETS, INLETS, AND STORM DRAINS

CONTENTS

	Section Page ST-
1.0 OVERVIEW	3
1.1 General.....	3
1.2 Design Storms.....	3
2.0 STREET DRAINAGE.....	4
2.1 Allowable Inundation Depth and Spread.....	4
2.2 Curb and Gutter Hydraulics	5
2.3 Roadside Swales.....	6
3.0 INLETS	6
3.1 General.....	6
3.2 Inlet Types	7
3.2.1 In Public Streets.....	7
3.2.2 Outside of Public Streets	8
3.3 Hydraulic Evaluation	8
3.3.1 Curb Opening Inlets on a Continuous Grade.....	8
3.3.2 Inlets Located in Sumps.....	11
3.3.3 Inlet Clogging	13
3.3.4 Plan and Calculation Submittals	13
4.0 STORM DRAINS	13
4.1 General.....	13
4.1.1 Horizontal Alignment.....	13
4.1.2 Vertical Alignment	14
4.1.3 Pipes	14
4.1.4 Junction Boxes.....	15
4.1.5 Bends and Transitions	16
4.1.6 Outlets.....	16
4.1.7 Other Appurtenances.....	16
4.1.8 General Safety Requirements.....	16
4.2 Storm Drain Hydraulics	17
4.2.1 General	17
4.2.2 Design Storm and Storm Drain Capacity	17
4.2.3 Hydraulic and Energy Grade Line Calculations	18
4.2.3.1 Head Loss Due to Pipe Friction.....	19
4.2.3.2 Inlet and Manhole Losses	20
4.2.3.3 Transitions	22
4.2.3.4 Bend Loss.....	23
4.2.3.5 Exit Losses	23
5.0 REFERENCES.....	25

TABLES

Table ST-1	City of Springfield Street Inundation Criteria.....	4
Table ST-2	Sump Inlet Discharge Variables and Coefficients.....	12
Table ST-3	Minimum Easement Widths Required for Storm Drains	14
Table ST-4	Allowable Pipe Types.....	15
Table ST-5	Typical Values for Ke for Gradual Enlargement of Pipes in Nonpressure Flow	23

FIGURES

Figure ST-1	Typical Curb and Gutter Cross-Section	5
Figure ST-2	Standard Gutter Spread	6
Figure ST-3	Hydraulic Characteristics of Circular Conduits	18

CHAPTER 7. BRIDGES/CULVERTS

CHAPTER 8. OPEN CHANNELS

CONTENTS

	Section Page
	OC-
1.0 OVERVIEW.....	1
1.1 Introduction	1
1.2 Open Systems Requirements	1
1.3 Planning for Open Channels.....	2
1.4 Submittal Requirements.....	3
1.5 Permits	4
1.6 Maintenance	4
1.7 Safety	4
2.0 TYPES OF OPEN CHANNELS	5
2.1 Natural Channels.....	5
2.2 Engineered Channels	6
2.2.1 Naturalized Channels.....	7
2.2.2 Vegetated Channels	8
2.2.3 Channels with Manufactured Liners	9
2.2.4 Riprap-lined Channels	10
2.2.5 Grouted Boulder Channels	12
2.2.6 Concrete-lined Channels	12
2.3 Channel Forms	14
2.3.1 Two-stage Channels	14
2.3.2 Composite Channels.....	16
3.0 OPEN CHANNEL DESIGN PRINCIPLES	17
3.1 Types of Flow	17
3.2 Manning's Equation	17
3.3 Manning's Roughness Coefficients	19
3.4 Froude Number and Flow Regime.....	20
3.4.1 Critical Flow.....	21
3.4.2 Subcritical Flow	21
3.4.3 Supercritical Flow.....	22
4.0 NATURAL CHANNEL DESIGN CRITERIA.....	22
4.1 Natural Channel Preservation and Buffer Zones.....	23
4.2 Channel Assessment.....	25
4.2.1 Plan and Profile Exhibit.....	26
4.2.2 Channel Condition Scoring Matrix	32
4.3 In-channel Construction Requirements	36
4.3.1 Energy Management.....	37
4.3.2 Sediment Transport Continuity	38
4.3.3 Transitions.....	38
4.3.4 Discharge Outfalls.....	38
4.3.5 Culverts, Bridges, and Above-grade Crossings.....	39
4.3.6 Below-grade Stream Crossings	40
4.3.7 Professional Judgment	41
5.0 ENGINEERED CHANNEL DESIGN CRITERIA	41
5.1 Flow Rate	41
5.2 Flow Regime	42
5.3 Velocity	42
5.4 Slope	43

5.4.1	Longitudinal Slope	43
5.4.2	Side Slopes	44
5.5	Curvature and Superelevation.....	44
5.6	Freeboard.....	45
5.7	Linings	46
5.7.1	Soil Bioengineered Lining	46
5.7.2	Grass Lining	48
5.7.3	Manufactured Hard Lining.....	49
5.7.4	Riprap Lining	49
5.7.5	Grouted Boulders.....	54
5.7.6	Concrete Lining	54
5.8	Cross-section	55
5.9	Low-flow Channels	56
5.10	Outfalls.....	57
6.0	HYDRAULIC STRUCTURES	57
7.0	SMALL GRADE CONTROL STRUCTURES.....	58
7.1	Small Grade Control Structures	58
7.1.1	Small Grade Control Structure Selection Process.....	60
7.1.2	Grouted Sloping Boulder Grade Control Structure	64
7.1.3	Vertical Hard Basin Grade Control Structure	71
7.1.4	Sloping Concrete Grade Control Structure	75
7.1.5	Newbury-style Grade Control Structure	78
7.1.6	Sculpted Sloping Grade Control Structure.....	83
8.0	EXAMPLES	87
8.1	Example OC-1. Normal Depth Calculation Using the Normal and Critical Flow Analysis Worksheet.....	87
8.2	Example OC-2. Composite Section Calculation Using Design of Composite Channel Worksheet.....	89
8.3	Example OC-3. Riprap Channel Cross-Section Calculation Using Design of Riprap Channel Worksheet.....	92
9.0	REFERENCES.....	94

TABLES

Table OC-1	Typical Manning's Roughness Coefficient (n) Values for Open Channels	19
Table OC-2	Buffer Width Requirements Along Natural Channels.....	23
Table OC-3	Critical Shear Stresses for Channel Materials (solely for use in channel assessments)	31
Table OC-4	Planform Ratios.....	32
Table OC-5	Channel Condition Scoring Matrix (adapted from Johnson et al. 1999).....	35
Table OC-6	Design Velocity Limitations for Open Channels with Different Linings.....	43
Table OC-7	Riprap Requirements for Channel Linings.....	50
Table OC-8	Classification and Gradation of Ordinary Riprap	51
Table OC-9	Classification of Boulders.....	51
Table OC-10	Thickness Requirements for Granular Bedding.....	52
Table OC-11	Suggested Further References for Hydraulic Structures.....	58
Table OC-12	Design Criteria for Small Grade Control Structures.....	59
Table OC-13	Summary of Considerations for Selecting Small Grade Control Structure Type	62
Table OC-14	Summary of Relative Advantages and Disadvantages for Different Types of Small Grade Control Structures	63
Table OC-15	Design Criteria for Grouted Sloping Boulder Grade Control Structure (with Drop Height 2 Feet or Less).....	65
Table OC-16	Design Criteria for Vertical Hard Basin Grade Control Structure (with Drop Height of 2 Feet or Less)	72
Table OC-17	Design Criteria for Sloping Concrete Grade Control Structure (with Drop Height of 2 Feet or Less)	76
Table OC-18	Design Criteria for Newbury Grade Control Structure (with Drop Height 2 Feet or Less).....	80
Table OC-19	Design Guidelines for Sculpted Sloping Grade Control Structure (with Drop Height 2 Feet or Less).....	84

FIGURES

Figure OC-1	Cross-section of a Two-stage Channel with a Floodplain Internal to the Main Channel	15
Figure OC-2	Common Features of Stream Geometry	26
Figure OC-3	Natural Channel Assessment (Part 1).....	33
Figure OC-4	Natural Channel Assessment (Part 2).....	34
Figure OC-5	Typical Cross-section of an Improved Natural Channel or Composite Channel	48
Figure OC-6	Riprap Channel Side Lining with Toe Protection	53
Figures OC-7a-d	Grouted Sloping Boulder Grade Control Structure	67
Figures OC-8a-b	Vertical Hard Basin Grade Control Structure	73
Figure OC-9	Sloping Concrete Grade Control Structure	77
Figure OC-10	Newbury Grade Control Structure.....	82
Figures OC-11a-b	Sculpted Sloping Grade Control Structure.....	85

CHAPTER 9. DETENTION FOR FLOOD CONTROL

CONTENTS

	Section Page DET-
1.0 OVERVIEW	1
1.1 Detention Requirement	1
1.2 Payment in Lieu of Constructing Detention	1
1.3 Design Spreadsheets	1
2.0 TYPES OF DETENTION.....	2
3.0 HYDROLOGIC AND HYDRAULIC DESIGN	3
3.1 Design Methods	3
3.1.1 Tabular Method for Detention Volumes Less than 5,000 ft ³	3
3.1.2 Simplified Method for Detention Volumes Less than 20,000 ft ³	4
3.1.3 Hydrograph Method for Large Detention Basins	5
3.1.4 Determining Detention Storage for Extended Detention Basins.....	5
3.2 Sizing of Onsite Detention Facilities.....	5
3.2.1 Peak Flow Attenuation Requirements for Onsite Facilities.....	5
3.2.2 Simplified Method for Volume Estimation	5
3.2.3 Outlet Works Design	7
3.3 Reservoir Routing of Storm Hydrographs for Sizing of Storage Volumes	7
3.3.1 Detention Volume Estimation.....	7
3.3.2 Outlet Works Design	9
3.3.3 Reservoir Routing	12
4.0 FINAL DESIGN CONSIDERATIONS	15
4.1 Potential for Multiple Uses.....	15
4.2 Detention Basin Location.....	16
4.3 Detention Basin Grading.....	16
4.4 Geometry of Storage Facilities	16
4.5 Embankments and Cut Slopes	17
4.6 Linings	18
4.7 Inlets.....	18
4.8 Outlet Works.....	18
4.9 Trash Racks.....	18
4.10 Vegetation.....	18
4.11 Operations and Maintenance.....	19
4.12 Access.....	20
4.13 Geotechnical Considerations	20
4.14 Environmental Permitting and Other Considerations	21
5.0 EXAMPLES	21
5.1 Rational Formula Based Modified FAA Procedure.....	21
5.2 Simplified Detention Storage Calculation	23
5.3 Modified Puls Reservoir Routing Example	24
6.0 REFERENCES.....	28

TABLES

Table DET-1	Acceptable Detention Design Methods.....	3
Table DET-2	Tabular Method for Determining Detention Volumes Less than 5,000 ft ³	4
Table DET-3	Broad-crested Weir Coefficients	11
Table DET-4	Rational Formula Based Modified FAA Procedure Example.....	22
Table DET-5	Simplified Detention Volume Calculation Example.....	23
Table DET-6	Stage-Storage Relationship for Detention Facility	24
Table DET-7	Stage-Outflow Relationship for Detention Facility	24
Table DET-8	Storage-outflow Relationship for Detention Facility	25
Table DET-9	Modified Puls Routing Table	26

FIGURES

Figure DET-1	Hydrograph Volumetric Method of Detention Volume Sizing	8
Figure DET-2	Data Requirements for Storage Routing (after Hwang and Houghtalen 1996)	14
Figure DET-3	Examples of Good and Bad Location, Grading and Lot Layout for Detention.....	16
Figure DET-4	2S/Δt + O versus O for Reservoir Routing Example.....	25

CHAPTER 10. WATER QUALITY

CONTENTS

	Section Page WQ-
1.0 INTRODUCTION.....	1
2.0 APPLICABILITY	2
3.0 WATER QUALITY REQUIREMENTS	2
3.1 Water Quality Design Principles.....	2
3.2 Storm Water NPDES Permit.....	4
4.0 BMP PLANNING PROCESS	5
4.1 Runoff Reduction and Minimizing Directly Connected Impervious Area	6
4.2 Determining the Water Quality Capture Volume.....	8
4.3 Other Important Considerations For BMP Selection.....	9
4.3.1 General	9
4.3.2 Mosquitoes and Storm Water BMPs.....	9
5.0 STRUCTURAL BEST MANAGEMENT PRACTICES	10
5.1 Vegetative Filter Strip/Grass Buffer	10
5.1.1 Description	10
5.1.2 Design Considerations.....	11
5.1.3 Design Procedure and Criteria.....	12
5.1.4 Maintenance.....	13
5.1.5 Design Example.....	15
5.2 Grass Swale.....	16
5.2.1 Description	16
5.2.2 Design Considerations and Criteria.....	16
5.2.3 Design Procedure and Criteria.....	16
5.2.4 Maintenance.....	17
5.2.5 Design Example.....	19
5.3 Extended Dry Detention Basins	21
5.3.1 Description	21
5.3.2 Design Considerations.....	22
5.3.3 Design Procedure and Criteria.....	22
5.3.4 Maintenance.....	25
5.3.5 Design Example.....	30
5.4 Extended Wet Detention Basins.....	32
5.4.1 Description	32
5.4.2 Design Considerations.....	33
5.4.3 Design Procedure and Criteria.....	33
5.4.4 Maintenance.....	35
5.4.5 Design Example	37
5.5 Constructed Wetland Basin	39
5.5.1 Description	39
5.5.2 Design Considerations.....	39
5.5.3 Design Procedure and Criteria.....	40
5.5.4 Maintenance.....	41
5.5.5 Design Example	43
5.6 Modular Block Porous Pavement.....	45
5.6.1 Description	45
5.6.2 Design Considerations.....	46

5.6.3	Design Procedure and Criteria.....	46
5.6.4	Maintenance.....	48
5.6.5	Design Example	51
5.7	Porous Landscape Detention	53
5.7.1	Description	53
5.7.2	Example Applications.....	53
5.7.3	Design Considerations.....	54
5.7.4	Design Procedure	54
5.7.5	Maintenance.....	54
5.7.6	Design Example	55
5.8	Covering of Storage/Handling Areas	57
5.9	Spill Containment and Control	57
5.10	Alternative Structural BMPs	58
6.0	LOW IMPACT DEVELOPMENT.....	58
7.0	REFERENCES.....	60

TABLES

Table WQ-1	Requirements for Water Quality Outlet Structures	24
Table WQ-2	Wetland Pond Water Design Depths	40

FIGURES

Figure WQ-1	Imperviousness Adjustments for Level 1 and 2 of Minimizing DCIA	8
Figure WQ-2	Application of Grass Buffers (Filter Strips).....	14
Figure WQ-3	Profile and Sections of a Grass Swale	18
Figure WQ-4	Plan and Profile of an Extended Detention Basin.....	26
Figure WQ-5	Details for a Perforated Riser Pipe	27
Figure WQ-6	Details for a Perforated Plate and Trash Rack	28
Figure WQ-7	Trash Rack Sizing	29
Figure WQ-8	Plan, Profile and Details of an Extended Wet Detention Basin	36
Figure WQ-9	Plan and Profile of an Idealized Constructed Wetland Basin	42
Figure WQ-10	Modular Block Porous Pavement.....	49
Figure WQ-11	Typical Applications of Modular Block Porous Pavement.....	50
Figure WQ-12	Porous Landscape Detention.....	55

CHAPTER 11. SINKHOLES

1.0 OVERVIEW

1.1 GENERAL

1.2 AUTHORITY

2.0 SINKHOLE PERMIT AND REPORT REQUIREMENTS

2.1 PERMIT REQUIREMENTS

2.2 SINKHOLE EVALUATION

2.3 WATER QUALITY PROTECTION

2.4 SETBACK REQUIREMENTS

3.0 OTHER KARST FEATURES

3.1 CAVES

3.2 SPRINGS

3.3 OTHER FEATURES

REFERENCES

CHAPTER 12. EASEMENTS AND MAINTENANCE

CONTENTS

	Section Page EAS-
1.0 OVERVIEW	1
1.1 General.....	1
1.2 Authority	1
1.3 Inspections	2
2.0 EASEMENT REQUIREMENTS	2
2.1 Minimum Boundaries	2
2.1.1 Enclosed System	3
2.1.2 Constructed Open Channels.....	3
2.1.3 Natural Channels	3
2.2 Land Use Restrictions	3
3.0 MAINTENANCE RESPONSIBILITY	4
3.1 Subdivisions.....	5
3.2 Existing Facilities with No Easement.....	5
3.3 Major Drainage Facilities.....	6
3.3.1 Major Channels and Floodplain	6
3.3.2 Enclosed Systems and Culverts	7
3.3.2 Detention Storage Basins	7
3.3.3 Hydraulic Structures.....	8
3.4 Storm Water Quality BMPs	8
3.4.1 Extended Dry Detention and Wet Detention Basins	8
3.4.2 Grass Swales and Buffer Strips	8
3.4.3 Low Impact Development (LID) Designs	9
3.4.4 Subsurface and Package Treatment Devices	10
3.5 Mowing and Vegetation Management.....	10
4.0 REFERENCES.....	11

TABLE

Table EAS-1 Minimum Drainage Easement Boundaries	EAS-3
--	-------

APPENDIX A. LIST OF SPREADSHEETS

APPENDIX B. SPRINGFIELD FORMS

**APPENDIX C. SPRINGFIELD STORMWATER DISCHARGE
PERMIT (MISSOURI STATE OPERATING PERMIT)**